

Package: pequod (via r-universe)

May 30, 2026

Type Package

Title Colour Palette for Reading and Code, Inspired by Moby-Dick

Version 0.2.0

Description The Pequod colour palette, named after the whaler in Herman Melville's Moby-Dick. Provides the full Log base scale from warm paper (Log 50) to deep ink (Log 950), eight crew accent hues with light and dark variants, and 'ggplot2' scales for discrete and continuous mapping. Designed for long-form reading and code, with low saturation and a consistent earth-pigment register. Full design rationale and accessibility notes at <<https://tiagojct.eu/projects/pequod/>>.

License MIT + file LICENSE

URL <https://tiagojct.eu/projects/pequod/>,
<https://github.com/tiagojct/pequod>

BugReports <https://github.com/tiagojct/pequod/issues>

Encoding UTF-8

Depends R (>= 4.0.0)

Imports ggplot2 (>= 3.3.0), grDevices, graphics, stats

Suggests testthat (>= 3.0.0), jsonlite

Config/testthat/edition 3

RoxygenNote 7.3.3

Repository <https://tiagojct.r-universe.dev>

Date/Publication 2026-04-30 09:58:42 UTC

RemoteUrl <https://github.com/tiagojct/pequod>

RemoteRef HEAD

RemoteSha 619982d518a66af65b19117652e9dba977e7bbbd

RemoteSubdir r

Contents

palette_pequod	2
pequod_crew	3
pequod_crew_dark	3
pequod_crew_light	4
pequod_log	4
pequod_preview	5
scale_color_pequod_c	5
scale_color_pequod_d	6

Index	8
--------------	----------

palette_pequod	<i>Pequod palette</i>
----------------	-----------------------

Description

Returns a character vector of hex colours from a named Pequod palette. Supports both discrete selection (first ‘n’ colours) and continuous interpolation between the palette’s stops.

Usage

```
palette_pequod(
  name = "log",
  n = NULL,
  type = c("discrete", "continuous"),
  reverse = FALSE,
  direction = 1
)
```

Arguments

name	Palette name; see Details.
n	Number of colours to return. Defaults to the full palette length. For ‘type = "continuous"’, any positive integer.
type	“discrete” takes the first ‘n’ colours (errors if ‘n’ exceeds the palette length). “continuous” interpolates ‘n’ colours across the full palette with [grDevices::colorRampPalette()].
reverse	If ‘TRUE’, reverse the returned palette.
direction	‘+1’ (default) or ‘-1’ to flip the palette.

Details

Available palettes:

“log” The full 12-step Log base scale.

“log-warm” Log 50–400 (six warm steps).

“**log-cool**”‘ Log 500–950 (six cool steps).

“**crew**”‘ The eight crew accents, light variants.

“**crew-dark**”‘ The eight crew accents, dark variants.

“**syntax**”‘ Crew accents in syntax-role order — keyword, string, number, comment, function, type, constant, variable.

Value

An unnamed character vector of hex codes of length ‘n‘.

Examples

```
palette_pequod("log")
palette_pequod("crew", n = 5)
palette_pequod("log-cool", n = 100, type = "continuous")
```

pequod_crew	<i>Pequod crew metadata</i>
-------------	-----------------------------

Description

A list bundling the light and dark crew accents together with their suggested syntax roles.

Usage

```
pequod_crew
```

Format

A list with three elements: ‘light‘, ‘dark‘, ‘roles‘.

pequod_crew_dark	<i>Pequod crew accents — dark variants</i>
------------------	--

Description

Eight accent hues tuned to sit against the Log 950 ink surface.

Usage

```
pequod_crew_dark
```

Format

A named character vector of length 8.

pequod_crew_light *Pequod crew accents — light variants*

Description

Eight accent hues, each named after a character in *Moby-Dick*, tuned to sit against a Log 100 paper surface.

Usage

pequod_crew_light

Format

A named character vector of length 8.

pequod_log *Pequod Log base scale*

Description

The twelve-step base scale, from warm paper (‘Log 50’) to the night-before-the-storm ink of ‘Log 950’. Warm on the paper side, cool on the ink side; the hinge sits between Log 500 (warm taupe) and Log 700 (cool sage).

Usage

pequod_log

Format

A named character vector of length 12 (hex codes).

pequod_preview *Preview a Pequod palette*

Description

Draws a strip of coloured rectangles with labels using base R graphics. Useful for seeing a palette before committing to it in an analysis.

Usage

```
pequod_preview(palette = "log", labels = TRUE)
```

Arguments

`palette` Palette name. See [palette_pequod()].
`labels` If 'TRUE' (default) writes each colour's label above the rectangle.

Value

The palette, invisibly.

Examples

```
pequod_preview("log")  
pequod_preview("crew")
```

scale_color_pequod_c *Pequod continuous colour / fill scales for ggplot2*

Description

Interpolates across a Pequod palette with [ggplot2::scale_color_gradientn()]. Best used with the "log" or "log-cool" palettes, which are ordered from light to dark; the "crew" palettes are categorical and will not interpolate cleanly.

Usage

```
scale_color_pequod_c(palette = "log", reverse = FALSE, ...)  
scale_colour_pequod_c(palette = "log", reverse = FALSE, ...)  
scale_fill_pequod_c(palette = "log", reverse = FALSE, ...)
```

Arguments

palette	Palette name. See [palette_pequod()].
reverse	Reverse the palette order.
...	Further arguments passed to [ggplot2::scale_color_gradientn()] / [ggplot2::scale_fill_gradientn()].

Value

A ggplot2 scale.

Examples

```
library(ggplot2)
ggplot(faithfuld, aes(waiting, eruptions, fill = density)) +
  geom_tile() +
  scale_fill_pequod_c(palette = "log-cool")
```

scale_color_pequod_d *Pequod discrete colour / fill scales for ggplot2*

Description

Wraps [palette_pequod()] in a [ggplot2::discrete_scale()] so it can be dropped into any ggplot that uses a discrete colour or fill aesthetic.

Usage

```
scale_color_pequod_d(palette = "crew", reverse = FALSE, direction = 1, ...)
scale_colour_pequod_d(palette = "crew", reverse = FALSE, direction = 1, ...)
scale_fill_pequod_d(palette = "crew", reverse = FALSE, direction = 1, ...)
```

Arguments

palette	Palette name. See [palette_pequod()].
reverse	Reverse the palette order.
direction	'+1' (default) or '-1' to flip the palette.
...	Further arguments passed to [ggplot2::discrete_scale()].

Value

A ggplot2 scale.

Examples

```
library(ggplot2)
ggplot(iris, aes(Sepal.Length, Sepal.Width, colour = Species)) +
  geom_point() +
  scale_color_pequod_d(palette = "crew")
```

Index

* datasets

- pequod_crew, 3
- pequod_crew_dark, 3
- pequod_crew_light, 4
- pequod_log, 4

palette_pequod, 2

- pequod_crew, 3
- pequod_crew_dark, 3
- pequod_crew_light, 4
- pequod_log, 4
- pequod_preview, 5

scale_color_pequod_c, 5

scale_color_pequod_d, 6

scale_colour_pequod_c

- (scale_color_pequod_c), 5

scale_colour_pequod_d

- (scale_color_pequod_d), 6

scale_fill_pequod_c

- (scale_color_pequod_c), 5

scale_fill_pequod_d

- (scale_color_pequod_d), 6